使用 LazyVim 给 nvim 打造 c++ ID

,. ()

由于 C++ , vscode IDE, UI . nvim ,,

---

nvim

: https://github.com/neovim/neovim/blob/master/INSTALL.md

macos

```
brew install neovim
```

linux

```
sudo apt-get install neovim
```

使用 LazyVim

 nvim, ,;;

(可选)

```
mv ~/.config/nvim{,.bak}
```

(可选)

```
mv ~/.local/share/nvim{,.bak}
mv ~/.local/state/nvim{,.bak}
mv ~/.cache/nvim{,.bak}
```

starter, , lazy

```
git clone https://github.com/LazyVim/starter ~/.config/nvim
```

删除 .git 目录, git repo

```
rm -rf ~/.config/nvim/.git
nvim
```

:

lazyvim ,, config ,;,. Plugins ,,,

`example.lua` ,和 `default.lua` ; 删除 `tokyonightly` ; `github_dark` ;

```lua
-- Plugins/default.lua
return {
  { "projekt0n/github-nvim-theme" },
  {
    "LazyVim/LazyVim",
    opts = {
      colorscheme = "github_dark",
    },
  },
}
```


效果:

tab ,

```lua
-- config/options.lua
-- utf8
```

```lua
vim.g.encoding = "UTF-8"


-- □□4□□□□□□□□Tab
vim.opt.tabstop = 4
vim.opt.softtabstop = 4


-- >> << □□□□□
vim.opt.shiftwidth = 4


-- □□□□tab
vim.opt.expandtab = true


-- □□□□□□□□□□□□□□□□□□□
vim.opt.listchars = "space:·"


-- □□□□□□□□□□□□□
vim.g.autoformat = false
```


image not found or type unknown

neo-tree □□

□□□□□,neo-tree □□□□□□□□□□□□□,□□□□□□□□□□;

```lua
return {
  "nvim-neo-tree/neo-tree.nvim",
  opts = {
   filesystem = {
     filtered_items = {
        visible = true,
        show_hidden_count = true,
        hide_dotfiles = false,
        hide_gitignored = true,
        hide_by_name = {
          --'.git', '.DS_Store',  -- 'thumbs.db',
        },
        never_show = {'.git'},
      },
    }
```

```
    }
  }
```

Revision #9
Created 29 August 2024 05:04:40 by Danny
Updated 8 September 2024 14:27:51 by Danny