

zsh □□□□□



1.1 □□□□□□

```
# □□□□□  
sudo yum update && sudo yum upgrade -y  
# □□ zsh git curl  
sudo yum install zsh git curl -y
```

1.2 □□□□□□□

zsh□□□□□□□

sudo



```
chsh -s /bin/zsh
```

1.3 □□ oh-my-zsh

```
sh -c "$(curl -fsSL https://install.ohmyz.sh/)"
```



```
# Uncomment the following line to display red dots whilst waiting for completion.
# You can also set it to another string to have that shown instead of the default red dots.
# e.g. COMPLETION_WAITING_DOTS="%F{yellow}waiting...%f"
# Caution: this setting can cause issues with multiline prompts in zsh < 5.7.1 (see #5765)
# COMPLETION_WAITING_DOTS="true"

# Uncomment the following line if you want to disable marking untracked files
# under VCS as dirty. This makes repository status check for large repositories
# much, much faster.
# DISABLE_UNTRACKED_FILES_DIRTY="true"

# Uncomment the following line if you want to change the command execution time
# stamp shown in the history command output.
# You can set one of the optional three formats:
# "mm/dd/yyyy"|"dd.mm.yyyy"|"yyyy-mm-dd"
# or set a custom format using the strftime function format specifications,
# see 'man strftime' for details.
# HIST_STAMPS="mm/dd/yyyy"

# Would you like to use another custom folder than $ZSH/custom?
# ZSH_CUSTOM=/path/to/new-custom-folder

# Which plugins would you like to load?
# Standard plugins can be found in $ZSH/plugins/
# Custom plugins may be added to $ZSH_CUSTOM/plugins/
# Example format: plugins=(rails git textmate ruby lighthouse)
# Add wisely, as too many plugins slow down shell startup.
plugins=(git zsh-autosuggestions zsh-syntax-highlighting)

source $ZSH/oh-my-zsh.sh

# User configuration
```

Revision #3

Created 2026-10-30 02:09:46 UTC by Danny

Updated 2026-10-30 02:26:33 UTC by Danny